Author Index

AIBA S., MANOME H., YOSHINO Y. & TAGAMI H. *In vitro* treatment of human transforming growth factor-β_1-treated monocyte-derived dendritic cells with haptens can induce the phenotypic and functional changes similar to epidermal Langerhans cells in the initiation phase of allergic contact sensitivity reaction, 68
AKAIKE T. & MAEDA H. Nitric oxide and virus infection, 300
AKAMATSU T. *see* HOSOI K.
ALBERT S.E. *see* KAPASI K.
ALMEIDA I.C. *see* PANUNTO-CASTELO A.
ÁLVAREZ-DOMÍNGUEZ C., CARRASCO-MARÍN E., LÓPEZ-MATO P. & LEYVA-COBIÁN F. The contribution of both oxygen and nitrogen intermediates to the intracellular killing mechanisms of C1q-opsonized *Listeria monocytogenes* by the macrophage-like IC-21 cell line, 83
ANDERSON B.E. *see* WALSH W.E., JR
ANDRASSY K. *see* RADSAK M.
APOSTOLOPOULOS V. *see* GONG J.
ARNON R., TARRAB-HAZDAI R. & STEWARD M. A mimotope peptide-based vaccine against *Schistosoma mansoni*: synthesis and characterization, 555
ASADA A., ZHAO Y., KOMANO H., KUWATA T., MUKAI M., FUJITA K., TOZAWA Y., ISEKI R., TIAN H., SATO K., MOTEGI Y., SUZUKI R., YOKOYAMA M. & IWATA M. The calcium-independent protein kinase C participates in an early process of CD3/CD28-mediated induction of thymocyte apoptosis, 309
AZUMA M. *see* MOGI S.

BABLITZ B. *see* VELAZQUEZ J.R.
BAILEY M. *see* HAVERSON K.
BARJA-FIDALGO C. *see* FERNANDES K.S.S.
BARJA-FIDALGO T.C. *see* DE ASSIS M.C.
BASSAGANYA-RIERA J. *see* WATERS W.R.
BAUMKRUKER T. *see* ELBE-BÜRGER A.
BECKERS J. *see* DANG Y.
BENDIGS S. *see* LIPFORD G.B.
BERGAMINI A., BOLACCHI F., BONGIOVANNI B., CEPPARULO M., VENTURA L., CAPOZZI M., SARRECCHIA C. & ROCCHI G. Granulocyte–macrophage colony-stimulating factor regulates cytokine production in cultured macrophages through CD14-dependent and -independent mechanisms, 254
BERZOFSKY J.A. *see* NAKAGAWA Y.
BLAIR P.J. *see* SOTSIOS Y.
BLUMBERG R.S. *see* ROBERTS A.I.
BOLACCHI F. *see* BERGAMINI A.
BONGIOVANNI B. *see* BERGAMINI A.
BORREBAECK C.A.K. *see* DAHLENBORG K.
BOUBELÍK M. *see* DRÁBEROVÁ L.
BRACIAK T.A., GALLICHAN W.S., GRAHAM F.L., RICHARDS C.D., RAMSAY A.J., ROSENTHAL K.L. & GAULDIE J. Recombinant adenovirus vectors expressing interleukin-5 and -6 specifically enhance mucosal immunoglobin A responses in the lung, 388
BRANDTZAEG P. *see* FARSTAD I.N.
BRIGHTBILL H.D & MODLIN R. L. Toll-like receptors: molecular mechanisms of the mammalian immune response, 1
BRODBECK W.G., KUTTNER-KONDO L., MOLD C. & MEDOF M. E. Structure/function studies of human decay-accelerating factor, 104
BRODSKÁ H. *see* DRÁBEROVÁ L.
BROLIN R.E. *see* ROBERTS A.I.
BUHLER L. *see* TRIPONEZ F.
BUHRER K. *see* CIAVARRA R.P.

BÜTTNER M. *see* FISCHER T.

CAPOZZI M. *see* BERGAMINI A.
CARLSEN H. *see* FARSTAD I.N.
CARLSON R.W. *see* PEDRON T.
CARLSSON R. *see* DAHLENBORG K.
CARRASCO-MARÍN E. *see* ÁLVAREZ-DOMÍNGUEZ C.
CEPPARULO M. *see* BERGAMINI A.
CEREDIG R. *see* MÅRTENSSON I.-L.
ČERNÁ H. *see* DRÁBEROVÁ L.
CHABY R. *see* PEDRON T.
CHALLA A. *see* GAGRO A.
CHANDAWARKAR R.Y. *see* MÉNORET A.
CHEERS C. *see* MANNERING S.I.
CHEN D. *see* GONG J.
CHEN H. *see* GONG J.
CHEN M. *see* JIU J.
CHOW D.A. *see* WANG H.
CHRIST A.D. *see* ROBERTS A.I.
CIAVARRA R.P., GREENE A.R., HORETH D.R., BUHRER K., VAN ROOIJEN N. & TEDESCHI B. Antigen processing of vesicular stomatitis virus *in situ*. Interdigitating dendritic cells present viral antigens independent of marginal dendritic cells but fail to prime $CD4^+$ and $CD8^+$ T cells, 512
COELHO A.L.J. *see* FERNANDES K.S.S.
CRANE I.J., WALLACE C.A., MCKILLOP-SMITH S. & FORRESTER J. V. Control of chemokine production at the blood–retina barrier, 426
CRETIN N. *see* TRIPONEZ F.
CROCKER P.R. *see* FLOYD H.

DA COSTA A.O. *see* DE ASSIS M.C.
DAHLENBORG K., POUND J.D., GORDON J., BORREBAECK C.A.K. & CARLSSON R. Signals sustaining human immunoglobulin V gene hypermutation in isolated germinal centre B cells, 210
DANG Y., BECKERS J., WANG C.-R. & HEYBORNE K. D. Natural killer 1.1^+ $\alpha\beta$ T cells in the periimplantation uterus, 484
DE ASSIS M.C., DA COSTA A.O., BARJA-FIDALGO T.C. & PLOTKOWSKI M. C. Human endothelial cells are activated by interferon-γ plus tumour necrosis factor-α to kill intracellular *Pseudomonas aeruginosa*, 271
DE BOER H.A. *see* DE GROOT N.
DE GROOT N., VAN KUIK-ROMEIJN P., LEE S.H. & DE BOER H. A. Increased immunoglobulin A levels in milk by over-expressing the murine polymeric immunoglobulin receptor gene in the mammary gland epithelial cells of transgenic mice, 218
DEARMAN R.J. & KIMBER I. Role of $CD4^+$ T helper 2-type cells in cutaneous inflammatory responses induced by fluorescein isothiocyanate, 442
DENBURG J.A. *see* VELAZQUEZ J.R.
DIAZ-SANCHEZ D. Pollution and the immune response: atopic diseases – are we too dirty or too clean?, 11
DIETZ A.B. *see* MATASIĆ R.
DRÁBER P. *see* DRÁBEROVÁ L.
DRÁBEROVÁ L., ČERNÁ H., BRODSKÁ H., BOUBELÍK M., WATT S.M., STANNERS C.P. & DRÁBER P. Soluble isoforms of CEACAM1 containing the A2 domain: increased serum levels in patients with obstructive jaundice and differences in 3-fucosyl-*N*-acetyl-lactosamine moiety, 279

EBERT E.C. *see* ROBERTS A.I.
EDIRIWICKREMA C.P., TONKONOGY S.L. & HAMMERBERG B. Natural killer cell-dependent

immunoglobulin G2a anti-bovine serum albumin (BSA) response elicited by high molecular weight dextran–BSA conjugates associated with dextran-mediated macrophage–natural killer interaction, 474
EIBENSTEINER P., SPITZAUER S., STEINBERGER P., KRAFT D. & VALENTA R. Immunoglobulin E antibodies of atopic individuals exhibit a broad usage of V_H-gene families, 112
EIVAZOVA E.R., MCDONNELL J.M., SUTTON B.J. & STAINES N. A. Specificity and binding kinetics of murine lupus anti-DNA monoclonal antibodies implicate different stimuli for their production, 371
ELBE-BÜRGER A., MOMMAAS A.M., PRIESCHL E.E., FIEBIGER E., BAUMKRUKER T. & STINGL G. Major histocompatibility complex class II– fetal skin dendritic cells are potent accessory cells of polyclonal T-cell responses, 242
ENOMOTO S. *see* MOGI S.

FARSTAD I.N., CARLSEN H., MORTON H.C. & BRANDTZAEG P. Immunoglobulin A cell distribution in the human small intestine: phenotypic and functional characteristics, 354
FERNANDES K.S.S., COELHO A.L.J., LOPES BEZERRA L.M. & BARJA-FIDALGO C. Virulence of *Sporothrix schenckii* conidia and yeast cells, and their susceptibility to nitric oxide, 563
FIEBIGER E. *see* ELBE-BÜRGER A.
FILIPEC M. *see* HOLÁŇ V.
FISCHER T., BÜTTNER M. & RZIHA H.-J. T helper 1-type cytokine transcription in peripheral blood mononuclear cells of pseudorabies virus (*Suid herpesvirus 1*) -primed swine indicates efficient immunization, 378
FLOYD H., NITSCHKE L. & CROCKER P.R. A novel subset of murine B cells that expresses unmasked forms of CD22 is enriched in the bone marrow: implications for B-cell homing to the bone marrow, 342
FLYNN J.N., HANLON L. & JARRETT O. Feline leukaemia virus: protective immunity is mediated by virus-specific cytotoxic lymphocytes, 120
FORRESTER J.V. *see* CRANE I.J.
FRIČ J. *see* HOLÁŇ V.
FRYER J.P. *see* WALSH W.E., JR
FUJITA K. *see* ASADA A.
FUNG J.J. *see* LEE W.-C.

GAGRO A., MCCLOSKEY N., CHALLA A., HOLDER M., GRAFTON G., POUND J.D. & GORDON J. CD5-positive and CD5-negative human B cells converge to an indistinguishable population on signalling through B-cell receptors and CD40, 201
GALLICHAN W.S. *see* BRACIAK T.A.
GAULDIE J. *see* BRACIAK T.A.
see also LEE W.-C.
GENDLER S.J. *see* GONG J.
GILBERTSON B. *see* MANNERING S.I.
GIRARD R. *see* PEDRON T.
GONG J., APOSTOLOPOULOS V., CHEN D., CHEN H., KOIDO S., GENDLER S.J., MCKENZIE I.F. & KUFE D. Selection and characterization of MUC1-specific $CD8^+$ T cells from MUC1 transgenic mice immunized with dendritic-carcinoma fusion cells, 316
GORDON J. *see* DAHLENBORG K.
see also GAGRO A.
GRAFTON G. *see* GAGRO A.
GRAHAM F.L. *see* BRACIAK T.A.
GRANT E.S. *see* RHIND S.M.
GREENE A.R. *see* CIAVARRA R.P.
GREENE L.J. *see* PANUNTO-CASTELO A.

HAMMARSTRÖM L. *see* ZHAO Y.
HAMMERBERG B. *see* EDIRIWICKREMA C.P.
HANLON L. *see* FLYNN J.N.
HÄNSCH G.M. *see* RADSAK M.
HARKINS K.R. *see* WATERS W.R.
HAVERSON K., SINGHA S., STOKES C.R. & BAILEY M. Professional and non-professional antigen-presenting cells in the porcine small intestine, 492
HAYDAY A.C. *see* SMITH A.L.
HEEG K. *see* LIPFORD G.B.
HEYBORNE K.D. *see* DANG Y.
HOLÁŇ V., ZAJÍCOVÁ A., KRULOVÁ M., PLŠKOVÁ, J., FRIČ J. & FILIPEC M. Induction of specific transplantation immunity by oral immunization with allogeneic cells, 404
HOLDER M. *see* GAGRO A.
HONTECILLAS R. *see* WATERS W.R.
HOPKINS J. *see* RHIND S.M.
HORETH D.R. *see* CIAVARRA R.P.
HOSOI K., MATSUURA S., TSUMURA K., WEI W., PARVIN M.N., TADA J., AKAMATSU T., KANAMORI N. & SUZUKI K. Expression of kininogens in the connective tissue-type mast cells of the rat, 531
HOSSAIN M.S., TAKIMOTO H., NINOMIYA T., YOSHIDA H., KISHIHARA K., MATSUZAKI G., KIMURA G. & NOMOTO K. Characterization of CD4– CD8– $CD3^+$ T-cell receptor-$\alpha\beta^+$ T cells in murine cytomegalovirus infection, 19
HUANG Y.-M. *see* YANG J.-S.
HUANG Y.-Y. *see* ZHOU L.

IKING-KONERT C. *see* RADSAK M.
ISEKI R. *see* ASADA A.
IVANCIC D. *see* WALSH W.E., JR
IWATA M. *see* ASADA A.

JARRETT O. *see* FLYNN J.N.
JEYARETNAM B. *see* PEDRON T.
JIU J., CHEN M. & WANG X. Calcitonin gene-related peptide inhibits lipopolysaccharide-induced interleukin-12 release from mouse peritoneal macrophages, mediated by the cAMP pathway, 61

KAMOHARA H. *see* YAMASHIRO S.
KANAMORI N. *see* HOSOI K.
KAPASI K., ALBERT S.E., YIE S.-M., ZAVAZAVA N. & LIBRACH C.L. HLA-G has a concentration-dependent effect on the generation of an allo-CTL response, 191
KAWAGUCHI-MIYASHITA M., SHIMADA S., MATSUOKA Y., OHWAKI M. & NANNO M. Activation of T-cell receptor-$\gamma\delta^+$ cells in the intestinal epithelia of KN6 transgenic mice, 38
KENNY E., MASON D., POMBO A. & RAMÍREZ F. Phenotypic analysis of peripheral $CD4^+$ $CD8^+$ T cells in the rat, 178
KILROE B. *see* TIEMESSEN C.T.
KIMBER I. *see* DEARMAN R.J.
KIMURA G. *see* HOSSAIN M.S.
KISHIHARA K. *see* HOSSAIN M.S.
KOHSAKA T. *see* MOGI S.
KOIDO S. *see* GONG J.
KOMANO H. *see* ASADA A.
KRAFT D. *see* EIBENSTEINER P.
KRULOVÁ M. *see* HOLÁŇ V.
KUFE D. *see* GONG J.
KUTTNER-KONDO L. *see* BRODBECK W.G.
KUWATA T. *see* ASADA A.

LACY P. *see* VELAZQUEZ J.R.
LE Y. *see* TEH C.
LEE S.H. *see* DE GROOT N.
see also TEH C.
LEE W.-C., QIAN S., WAN Y., LI W., XING Z., GAULDIE J., FUNG J.J., THOMSON A.W. & LU L. Contrasting effects of myeloid dendritic cells transduced with an adenoviral vector encoding interleukin-10 on organ allograft and tumour rejection, 233
LEYVA-COBIÁN F. *see* ÁLVAREZ-DOMÍNGUEZ C.
LI W. *see* LEE W.-C.
LIBRACH C.L. *see* KAPASI K.
LIESCHKE G.J. *see* MANNERING S.I.
LINK H. *see* YANG J.-S.
LIPFORD G.B., BENDIGS S., HEEG K. & WAGNER H. Polyguanosine motifs costimulate antigen-reactive CD8 T cells while bacterial CpG-DNA affect T-cell activation via antigen-presenting cell-derived cyokines, 46
LOPES BEZERRA L.M. *see* FERNANDES K.S.S.

LÓPEZ-MATO P. *see* ÁLVAREZ-DOMÍNGUEZ C.
LOU J. *see* TRIPONEZ F.
LU J. *see* TEH C.
LU L. *see* LEE W.-C.

MAEDA H. *see* AKAIKE T.
MAHMUDI-AZER S. *see* VELAZQUEZ J.R.
MAJNO P. *see* TRIPONEZ F.
MANNERING S.I., ZHAN Y., GILBERTSON B., LIESCHKE G.J. & CHEERS C. T lymphocytes from granulocyte colony-stimulating factor $^{-/-}$ mice produce large quantities of interferon-γ in a chronic infection model, 132
MANOME H. *see* AIBA S.
MÅRTENSSON L.-L. & CEREDIG R. Role of the surrogate light chain and the pre-B-cell receptor in mouse B-cell development, 435
MARTIN D.J. *see* TIEMESSEN C.T.
MASON D. *see* KENNY E.
MATASIĆ R., DIETZ A.B. & VUK-PAVLOVIĆ S. Cyclooxygenase-independent inhibition of dendritic cell maturation by aspirin, 53
MATSUO H. *see* NAGATA M.
MATSUOKA Y. *see* KAWAGUCHI-MIYASHITA M.
MATSUURA S. *see* HOSOI K.
MATSUZAKI G. *see* HOSSAIN M.S.
MCCLOSKEY N. *see* GAGRO A.
MCDONNELL J.M. *see* EIVAZOVA E.R.
MCKENZIE I.F. *see* GONG J.
MCKILLOP-SMITH S. *see* CRANE I.J.
MEDOF M.E. *see* BRODBECK W.G.
MÉNORET A., CHANDAWARKAR R.Y. & SRIVASTAVA P. K. Natural autoantibodies against heat-shock proteins hsp70 and gp96: implications for immunotherapy using heat-shock proteins, 364
MENTHA G. *see* TRIPONEZ F.
MILNE C.D. *see* VELAZQUEZ J.R.
MODLIN R.L. *see* BRIGHTBILL H.D.
MOGI S., SAKURAI J., KOHSAKA T., ENOMOTO S., YAGITA H., OKUMURA K. & AZUMA M. Tumour rejection by gene transfer of 4-1BB ligand into a CD80^{+} murine squamous cell carcinoma and the requirements of co-stimulatory molecules on tumour and host cells, 541
MOLD C. *see* BRODBECK W.G.
MOMMAAS A.M. *see* ELBE-BÜRGER A.
MOQBEL R. *see* VELAZQUEZ J.R.
MOREL P. *see* TRIPONEZ F.
MORTON H.C. *see* FARSTAD I.N.
MOTEGI Y. *see* ASADA A.
MUKAI M. *see* ASADA A.

NAGATA M., YAMAMOTO H., SHIBASAKI M., SAKAMOTO Y. & MATSUO H. Hydrogen peroxide augments eosinophil adhesion via β_2 integrin, 412
NAKAGAWA Y., TAKESHITA T., BERZOFSKY J.A. & TAKAHASHI H. Analysis of the mechanism for extracellular processing in the presentation of human immunodeficiency virus-1 envelope protein-derived peptide to epitope-specific cytotoxic T lymphocytes, 76
NANNO M. *see* KAWAGUCHI-MIYASHITA M.
NIEDLEMAN J.A., VAJDY M., UGOZZOLI M., OTT G. & O'HAGAN D. Genetically detoxified mutants of heat-labile enterotoxin from *Escherichia coli* are effective adjuvants for induction of cytotoxic T-cell responses against HIV-1 gag-p55, 154
NINOMIYA T. *see* HOSSAIN M.S.
NITSCHKE L. *see* FLOYD H.
NOBLE A. Molecular signals and genetic reprogramming in peripheral T-cell differentiation, 289
NOMOTO K. *see* HOSSAIN M.S.

O'HAGAN D. *see* NIEDLEMAN J.A.
OBERHOLZER J. *see* TRIPONEZ F.
OHWAKI M. *see* KAWAGUCHI-MIYASHITA M.
OKABE M. *see* ZHOU L.
OKUMURA K. *see* MOGI S.
OTT G. *see* NIEDLEMAN J.A.
OWEN R.L. *see* THOREUX K.

PANUNTO-CASTELO A., ALMEIDA I.C., ROSA J.C., GREENE L.J. & ROQUE-BARRERIA M.-C. The Rubino test for leprosy is a β_2-glycoprotein 1-dependent antiphospholipid reaction, 147
PAO W. *see* WALSH W.E. JR
PARR E.L. *see* PARR M.B.
PARR M.B. & PARR E. L. Immunity to vaginal herpes simplex virus-2 infection in B-cell knockout mice, 126
PARVIN M.N. *see* HOSOI K.
PEDRON T., GIRARD R., JEYARETNAM B., CARLSON R.W. & CHABY R. The lipid A region of lipopolysaccharides from Rhizobiaceae activates bone marrow granulocytes from lipopolysaccharide-hyporesponsive C3H/HeJ and C57BL/10ScCr mice, 262
PICCINI J.P. *see* WALSH W.E. JR
PLOTKOWSKI M.C. *see* DE ASSIS M.C.
PLŠKOVÁ J. *see* HOLÁŇ V.
POMBO A. *see* KENNY E.
POUND J.D. *see* DAHLENBORG K.
see also GAGRO A.
PRIESCHL E.E. *see* ELBE-BÜRGER A.

QIAN S. *see* LEE W.-C.

RABBANI H. *see* ZHAO Y.
RADSAK M., IKING-KONERT C., STEGMAIER S., ANDRASSY K. & HÄNSCH G. M. Polymorphonuclear neutrophils as accessory cells for T-cell activation: major histocompatability complex class II restricted antigen-dependent induction of T-cell proliferation, 521
RAMÍREZ F. *see* KENNY E.
RAMSAY A.J. *see* BRACIAK T.A.
RHIND S.M., HOPKINS J. & GRANT E. S. Differential expression of ovine CD1, 452
RICHARDS C.D. *see* BRACIAK T.A.
ROBERTS A.I., BLUMBERG R.S., CHRIST A.D., BROLIN R.E. & EBERT E. C. Staphylococcal enterotoxin B induces potent cytotoxic activity by intraepithelial lymphocytes, 185
ROCCHI G. *see* BERGAMINI A.
RODGERS T.G. *see* WALSH W.E., JR
ROQUE-BARRERIA M.-C. *see* PANUNTO-CASTELO A.
ROSA J.C. *see* PANUNTO-CASTELO A.
ROSENTHAL K.L. *see* BRACIAK T.A.
RZIHA H.-J. *see* FISCHER T.

SACCO R.E. *see* WATERS W.R.
SAKAMOTO Y. *see* NAGATA M.
SAKURAI J. *see* MOGI S.
SANSOM D.M. CD28, CTLA-4 and their ligands: who does what and to whom?, 169
SARRECCHIA C. *see* BERGAMINI A.
SATO K. *see* ASADA A.
SCHMITT D.A., WALTERSCHEID J.P. & ULLRICH S. E. Reversal of ultraviolet radiation-induced immune suppression by recombinant interleukin-12: suppression of cytokine production, 90
SCHMUCKER D.L. *see* THOREUX K.
SHIBASAKI M. *see* NAGATA M.
SHIMADA S. *see* KAWAGUCHI-MIYASHITA M.
SHIMAMURA M. *see* ZHOU L.
SHIMIZU A. *see* ZHAO Y.
SINGHA S. *see* HAVERSON K.
SMITH A.L. & HAYDAY A.C. An αβ T-cell-independent immunoprotective response towards gut coccidia supported by γδ cells, 325
SOTSIOS Y., BLAIR P.J., WESTWICK J. & WARD S. G. Disparate effects of phorbol esters, CD3 and the costimulatory receptors CD2 and CD28 on RANTES secretion by human T lymphocytes, 30
SPITZAUER S. *see* EIBENSTEINER P.
SRIVASTAVA P.K. *see* MÉNORET A.
STAINES N.A. *see* EIVAZOVA E.R.
STANNERS C.P. *see* DRÁBEROVÁ L.

STEGMAIER S. *see* RADSAK M.
STEINBERGER P. *see* EIBENSTEINER P.
STEIN-STREILEIN J. *see* ZHANG-HOOVER J.
STEWARD M. *see* ARNON R.
STINGL G. *see* ELBE-BÜRGER A.
STOKES C.R. *see* HAVERSON K.
SUTTON A. *see* ZHANG-HOOVER J.
SUTTON B.J. *see* EIVAZOVA E.R.
SUZUKI K. *see* HOSOI K.
SUZUKI R. *see* ASADA A.
see also ZHOU L.

TADA J. *see* HOSOI K.
TAGAMI H. *see* AIBA S.
TAKAHASHI H. *see* NAKAGAWA Y.
TAKESHITA T. *see* NAKAGAWA Y.
TAKIMOTO H. *see* HOSSAIN M.S.
TARRAB-HAZDAI R. *see* ARNON R.
TEDESCHI B. *see* CIAVARRA R.P.
TEH C., LE Y., LEE S.H. & LU J. M-ficolin is expressed on monocytes and is a lectin binding to *N*-acetyl-D-glucosamine and mediates monocyte adhesion and phagocytosis of *Escherichia coli*, 225
THOMSON A.W. *see* LEE W.-C.
THOREUX K., OWEN R.L. & SCHMUCKER D. L. Intestinal lymphocyte number, migration and antibody secretion in young and old rats, 161
TIAN H. *see* ASADA A.
TIEMESSEN C.T., KILROE B. & MARTIN D. J. Interleukin-8 fails to induce human immunodeficiency virus-1 expression in chronically infected promonocytic U1 cells but differentially modulates induction by proinflammatory cytokines, 140
TONKONOGY S.L. *see* EDIRIWICKREMA C.P.
TOSO C. *see* TRIPONEZ F.
TOZAWA Y. *see* ASADA A.
TRIPONEZ F., OBERHOLZER J., MOREL P., TOSO C., YU D., CRETIN N., BUHLER L., MAJNO P., MENTHA G. & LOU J. Xenogeneic islet re-transplantation in mice triggers an accelerated, species-specific rejection, 548
TSUMURA K. *see* HOSOI K.

UGOZZOLI M. *see* NIEDLEMAN J.A.
ULLRICH S.E. *see* SCHMITT D.A.

VAJDY M. *see* NIEDLEMAN J.A.
VALENTA R. *see* EIBENSTEINER P.
VAN DER MEIDE P.H. *see* YANG J.-S.
VAN KUIK-ROMEIJN P. *see* DE GROOT N.
VAN ROOIJEN N. *see* CIAVARRA R.P.
see also ZHANG-HOOVER J.
VELAZQUEZ J.R., LACY P., MAHMUDI-AZER S., BABLITZ B., MILNE C.D., DENBURG J.A. & MOQBEL R. Interleukin-4 and RANTES expression in maturing eosinophils derived from human cord blood $CD34^+$ progenitors, 419
VENTURA L. *see* BERGAMINI A.
VUK-PAVLOVIĆ S. *see* MATASIĆ R.

WAGNER H. *see* LIPFORD G.B.
WALLACE C.A. *see* CRANE I.J.
WALSH W.E., JR ANDERSON B.E., IVANCIC D., ZHANG Z., PICCINI J.P., RODGERS T.G., PAO W. & FRYER J. P. Distribution of, and immune response to, chicken anti-αGal immunoglobulin Y antibodies in wild-type and αGal knockout mice, 467
WALTERSCHEID J.P. *see* SCHMITT D.A.
WAN Y. *see* LEE W.-C.
WANG C.-R. *see* DANG Y.
WANG H. & CHOW D. A. Natural antibody-induced intracellular signalling and growth control in C3H 10T½ fibroblast variants, 458
WANG X. *see* JIU J.
WANNEMUEHLER M.J. *see* WATERS W.R.
WARD S.G. *see* SOTSIOS Y.
WATERS W.R., HONTECILLAS R., SACCO R.E., ZUCKERMANN F.A., HARKINS K.R., BASSAGANYA-RIERA J. & WANNEMUEHLER M. J. Antigen-specific proliferation of porcine $CD8\alpha\alpha$ cells to an extracellular bacterial pathogen, 333
WATT S.M. *see* DRÁBEROVÁ L.
WEI W. *see* HOSOI K.
WESTWICK J. *see* SOTSIOS Y.

XIAO B.-G. *see* YANG J.-S.
XING Z. *see* LEE W.-C.
XU L.-Y. *see* YANG J.-S.

YAGITA H. *see* MOGI S.
YAMAMOTO H. *see* NAGATA M.
YAMASHIRO S., KAMOHARA H. & YOSHIMURA T. Alteration in the responsiveness to tumour necrosis factor-α is crucial for maximal expression of monocyte chemoattractant protein-1 in human neutrophils, 97
YANG J.-S., XU L.-Y., HUANG Y.-M., VAN DER MEIDE P.H., LINK H. & XIAO B.-G. Adherent dendritic cells expressing high levels of interleukin-10 and low levels of interleukin-12 induce antigen-specific tolerance to experimental autoimmune encephalomyelitis, 397
YIE S.-M. *see* KAPASI K.
YOKOYAMA M. *see* ASADA A.
see also ZHOU L.
YOSHIDA H. *see* HOSSAIN M.S.
YOSHIMURA T. *see* YAMASHIRO S.
YOSHIMURA Y. *see* ZHOU L.
YOSHINO Y. *see* AIBA S.
YU D. *see* TRIPONEZ F.

ZAJÍCOVÁ A. *see* HOLÁŇ V.
ZAVAZAVA N. *see* KAPASI K.
ZHAN Y. *see* MANNERING S.I.
ZHANG Z. *see* WALSH W.E., JR
ZHANG-HOOVER J., SUTTON A., VAN ROOIJEN N. & STEIN-STREILEIN J. A critical role for alveolar macrophages in elicitation of pulmonary immune fibrosis, 501
ZHAO Y. *see* ASADA A.
ZHAO Y., RABBANI H., SHIMIZU A. & HAMMARSTRÖM L. Mapping of the chicken immunoglobulin heavy-chain constant region gene locus reveals an inverted α gene upstream of a condensed υ gene, 348
ZHOU L., YOSHIMURA Y., HUANG Y.-Y., SUZUKI R., YOKOYAMA M., OKABE M. & SHIMAMURA M. Two independent pathways of maternal cell transmission to offspring: through placenta during pregnancy and by breast-feeding after birth, 570
ZUCKERMANN F.A. *see* WATERS W.R.

Subject Index

Adherent dendritic cells:
  mediate tolerance to experimental autoimmune encephalomyelitis, 397
Anti-α Gal antibodies:
  in αGal knockout mice, 467
  chicken, 467
  immunoglobulin Y antibody binds αGal epitopes, 467
Antigen processing:
  presentation of human immunodeficiency type 1 envelope protein-derived peptide, 76
Antigen-presenting cells:
  heterogeneous population in porcine lamina propria, 492
Anti-tumour $CD8^+$ T cells:
  role of 4-1BB ligand, 541
  squamous cell carcinoma, 541
Atopy:
  immunoglobulin E antibody formation, 112
  the effects of pollution, 11
  V_H gene usage, 112
αβ T cells, 325

4-1BB ligand:
  generation of anti-tumour $CD8^+$ T cells, 541
B cells:
  CD22 role in homing, 342
B-cell receptor signalling:
  CD5 expression on human B cells, 201
B lymphocytes:
  B-lymphocyte development, 435
  pre-B-cell receptor, 435
  surrogate light chain, 435

Carcinoembryonic antigen:
  CEACAM1 isoforms, 279
  expression in jaundice, 279
  presence in human body fluids, 279
CD1:
  differential patterns between group 1 and group 2 CD1 family members, 452
  ovine expression, 452
CD8αα cells:
  role in colitis, 333
CD14 expression on bone marrow cells:
  lipopolysaccharide binding and signalling, 262
$CD19^+$ B cells:
  human gut-associated lymphoid tissue, 354
CD22 expression on murine B cells:
  role in bone marrow homing, 342
Cell adhesion:
  M-ficolin expression on monocytes, 225
Chemokines:
  effect on human immunodeficiency virus type 1 expression, 140
Cholera toxin:
  migration of intestinal anti-cholera toxin-secreting cells, 161
CpG-DNA sequences:
  CD8 T cells, 46
  T-cell costimulatory activities, 46
Cytomegalovirus, murine:
  T cells and infection, 19

Decay-accelerating factor:
  human, 104
  role in the alternative complement pathway, 104
Dendritic cells:
  maturation, 53
  effect on organ transplantation, 233
  human, 68
  major histocompatability complex expression on fetal dendritic cells, 242
  role in contact sensitivity, 68
Dendritic cells, transforming growth factor-β_1:
  treatment of, 68
Dermal hypersensitivity reaction:
  activated T helper type 2 cells, 442
  fluorescein isothiocyanate induced, 442
DNA-reactive antibodies:
  against double-stranded and single-stranded DNA, 371
  epitopes in systematic lupus erythematosus, 371
Double-positive T cells:
  phenotypic analysis, 178
  thymectomy, 178

Enterotoxin:
  cytotoxic T lymphocyte induction, 154
  heat-labile enterotoxin as adjuvant against human immunodeficiency virus, 154
  heat-labile enterotoxin mutants, 154
Eosinophil adhesion:
  augmented by H_2O_2, 412
  effect of H_2O_2, 412
  via β integrin, 412
Experimental autoimmune encephalomyelitis:
  tolerance induced by dendritic cells, 397

Fetal dendritic cells:
  costimulation dependent on FcγR expression, 242

Germinal centre B cells:
  affinity maturation, 210
  signals sustaining immunoglobulin V gene hypermutation, 210
Granulocyte colony-stimulating factor:
  relationship with interferon-γ production, 132
  role in Mycobacterial infection, 132
Granulocyte–macrophage colony-stimulating factor:
  effect on macrophage cytokine production, 254
  upregulates CD14 expression on macrophages, 254
Gut-associated lymphoid tissue:
  human immunoglobulin A cell distribution, 354
γδ T cells, 325

H_2O_2:
  augments human eosinophil adhesion, 412
  effect on β_2 integrin, 412
Heat shock proteins:
  natural autoantibodies, 364
  role in cancer immunotherapy, 364
Herpes simplex virus type 2 immunity:
  in B-cell knockout mice, 126
Herpes virus:
  induces porcine T helper type 1 cytokines, 378
Human B cells:
  CD5 expression, 201
  signalling through B-cell receptors and CD40, 201
Human endothelial cells antibacterial activity:
  role of inflammatory cytokines, 271
  role of oxygen radicals, 271
Human immunodeficiency virus type 1 envelope-specific cytotoxic T lymphocyte, 76
Human leucocyte antigen-G:
  role in allogeneic cytotoxic T lymphocyte response, 191
  in pregnancy, 191
Human tumour vaccination:
  4-1BB ligand, 541

Immunoglobulin gene mapping:
  chicken genome, 348
  heavy chain constant region, 348

Infections:
coccidia infection, 325
parasite infection, 325
Interdigitating dendritic cells:
insufficient to prime vesicular stomatitis virus T helper cells, 512
presentation of stomatitis virus, 512
Interleukin-4 and RANTES production:
eosinophil maturation, 419
Interleukin-8:
effect on human immunodeficiency virus type 1 expression, 140
modulation of human immunodeficiency virus type 1 expression, 140
Interleukin-10:
immunomodulatory effect on organ transplantation, 233
Interleukin-12:
lipopolysaccharide-induced release from macrophages, 61
signalling, 61
Intestinal intra-epithelial lymphocytes:
antigen recognition, 38
T-cell receptor γδ expression, 38
Intraepithelial lymphocytes:
superantigen-induced cytotoxicity, 185

Kininogen:
de novo synthesis in rat mast cells, 531
expression in connective tissue mast cells, 531
rat submandibular gland expression, 531

Lamina propria:
antigen-presenting cells, 492
porcine, 492
Lamina propria B cells:
cell-surface markers, 354
human, 354
emory phenotype, 354
Lectins:
M-ficolin-mediated cell adhesion, 225
Listeria monocytogenes:
bacteriacidal activity of oxygen and nitrogen metabolites, 83
Lung:
monocytes/macrophages, 501
pulmonary immune fibrosis, 501

Macrophage cytokine production:
effect of CD14, 254
regulation by granulocyte–macrophage colony-stimulating factor, 254
Macrophages:
alveolar, 501
Maternal–fetal interface:
murine, 570
pathways for leucocyte transmission, 570
Monocyte chemoattractant protein type 1 expression:
in human neutrophils, 97
MUC1 carcinoma-associated antigen:
anti-tumour activity, 316
MUC1-specific cytotoxic T lymphocyte activity, 316
Mucosal immune response:
age-related decline, 161
Mycobacterium leprae-specific cell immunity:
Rubino test, 147

Natural antibody signalling:
fibroblast, 458
protein kinase C expression, 458
Natural killer 1.1^+ αβ T cells (NKT):
CD1 expression, 484
phenotype, 484
presence in pregnant uterus, 484
Natural killer cells:
enhance anti-bovine serum albumin immunoglobulin G2a antibody response, 474
positive feedback interaction with macrophages, 474
Neutrophils:
tumour necrosis factor-Ga-induced monocyte chemoattractant protein type 1 expression, 97

Nitric oxide:
inducible nitric oxide synthase, 300
involvement in macrophage fungicidal activity, 563
mediates macrophage cytotoxicity in fungal infection, 563
role in microbial pathogenesis, 300

Ophthalmology (blood–retina barrier):
chemokines, 426

Peptide-based vaccine:
against *Schistosoma mansoni*, 555
Peripheral T-cell differentiation:
molecular signals, 289
T-cell receptor recognition, 289
type 1/type 2 effectors, 289
Polymorphonuclear neutrophils:
accessory cells for T-cell activation, 521
major histocompatibility complex class II expression, 521
Porcine cytokines:
induced by herpes virus, 378
transcription of T helper type 1 cytokines, 378
Porcine immunology:
CD8αα cell proliferation in response to bacterial pathogen, 333
Pregnancy:
maternal cell transmission to offspring, 570
pathways for maternal leucocyte transmission, 570
Pulmonary immune fibrosis:
role of alveolar macrophages, 501

RANTES secretion:
effects of costimulation on, 30
Recombinant adenovirus vectors:
adenovirus-specific immunoglobulin A induction, 388
expression of interleukin-5 and interleukin-6, 388
role in mucosal vaccination, 388

Schistosoma mansoni:
minotope vaccine, 555
Secretory immunoglobulin A:
transport to the mammary gland, 218
Small intestine:
antigen-presenting cells, 492
porcine, 492
Sporothrix schencki:
susceptibility to nitric oxide, 563
virulence, 563
Staphylococcal enterotoxin B:
effect on human intraepithelial lymphocytes, 185
Stomatitis virus:
antigen processing, 512
Systematic lupus erythematosus:
specificity and binding of DNA-reactive antibodies, 371

T helper type 1 cytokine transcription:
porcine, 378
T-cell activation:
CD28, 169
cytotoxic T lymphocyte antigen type 4, 169
polymorphonuclear neutrophils as accessory cells, 521
The hygiene theory:
effects of pollutants on the immune response, 11
Thymocyte apoptosis:
induced by CD3/CD28, 309
protein kinase C signalling, 309
Tolerance to experimental autoimmune encephalomyelitis:
associated with transforming growth factor-β, 397
associated with nitric oxide production, 397
associated with apoptosis, 397
Toll-like receptors:
regulators of host responses to infection,1
Transplantation immunity:
corneal allografts, 404
oral immunization with allogeneic cells, 404

Ultraviolet-induced immune suppression:
cytokine radiated, 90
interleukin-12, 90

Viral infections:
role of nitric oxide, 300

Virus-specific cytotoxic T lymphocytes:
line leukaemia virus, 120
protective immunity, 120

Xenotransplantation:
cell-mediated, species-specific accelerated rejection, 548
islet re-transplantation, 548